SUPPLEMENT TO

The Gazette



of **Endia**

No. 37] NEW DELHI, SATURDAY, SEPTEMBER 20, 1958/BHADRA 29, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd August, 1958

Catoleral Cato		C	61			•	sta August, 1950	O		3		Dr.	
Parish P													
Paris				, 1),	G	D					р.	C.	D,
Patrial Patr										de#h			
Patrial Patr								"'	N.R."				
Patria								K€	rala				
Column C		Bi	har					44	N.R."	•			
Shahabad 69 42 23 6	Patna	_	· · ·	••	••	••		Medhya	Prad	le#h			
Salan	Goya	58 23	• • •	••	••	••		*cV	۱.R.''				
Muzaffarur	Shahabad	69 42	23	6	••	••							
Darbhanga	Saran	62 19	••	••	••	- •		M	agra#				
Monghyr	-	45 20	••	••	· • •	••		• •	••	91	16	••	••
Purnes	Darbhanga	••	14	5	••	••		••	••	27	5	••	••
Purnes	Monghyr	26 12		••	••	••	South Arcot	I	••	33	9	4.	••
Madurai Madu	Bhagalpur	23 9		••	• •	**	Tiruchirappalli .	••	• •	2	2	-	••
Hazaribagh 9	Purnea	••	. 36	14	• •	••	Tanjore	••	••	16	5	••	
Ranchi	Santal Parganas •	21 10	••	••	••	••	Madurai	••	••	19	1	••	••
Palamau	Hazaribagh	9 4	9	3	••	••	Ramanathapuram	••	••	6	I	••	••
Dhanball	Ranchi		9	2	••	••	Tirunelveli			3	2		
Total for w/e 16-8-58 369 145 10 33 Coimbatore 15 8 Total for w/e 16-8-58 265 118 48 21 The Nilgiris 5 2 Total for w/e 9-8-58 215 69 74 31 Total for w/e 16-8-58 228 68 Total for w/e 9-8-58 5 327 93 Delhi Notified area Committee 1	Palamau		8	I	••	••	North Arcot	• •	••	20	5		••
Total for w/e 16-8-58 366 118 48 21	Dhanbad	2 1	5	2	••	••	Salem .			25	8		••
Total for w/e 9-8-58 215 69 74 31	Total .	329 145	5 101	33	••	••	Coimbatore .	••	••	15	8	••	
Total for w/c 16-8-58	Total for w/c 16-8-58	366 11	8 48	21	••	• •	The Nilgiris .	••	••	5	2		
Total for w/e 16-8-58 Total for w/e 19-8-58 Total for w/e 19-8-58 Total for w/e 19-8-58 Total for w/e 19-8-58 Total for w/e 16-8-58 Tota	Total for w/c 9-8-58	215 6	9 74	3 I		••	TOTAL .	1	••	262	64	••	
Delhi Notified area Committee							Total for w/c 16-8-58			228	68	••	
Delhi Notified area Committee Committee I TOTAL							Total ion wie 9-8-58	5		327	93		
Delhi Shahdara Municipality	Delhi Notified area	L/Ei	111					Manie					
Municipality			••	I	••	••		MARKET	put				
Total for w/e 9-8-58 3 1 Total for w/e 9-8-58			., I		••		TOTAL	• •	••	• •	• •	••	• •
Total for w/e 9-8-58	South Delhi Munici-						Total for w/c 16-8-58			• -	• •	, .	
Total for w/c 16-8-58 3 I	•	• •			• •	••	Total tor w/e 9=8=58						
Total for w/e 9-8-58 3 3 ""N.R."					′-	• •							
					••	• •			•				
				_			1914 - A. R. W. W. W.						

Explanation of Symbols used: -- C = Cases: D = Deaths; ... Nil; "N. R." Information not received.

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week ending the 23rd August, 1958—contd.

	CHOTHE /	SMAI	LLPOE	PLA	GUE		Сно	LEP A	SMAI	LPOX	P1.A	.GDB
	C. D.	C.	D.	G.	D,		C,	D,	C.	D.	c.	D.
	Orise	•				Uttar I	Prades	1 —conta	? .			
Cuttack	2 ;	2 16	4		••	Saharanpur	,	11	6	z		
Puri	2 8 I	5 15	3	• -	••	Unnao		1	2	1	- •	
Sambalpur .		. 46	6	-	••	Aligarh	.			1	••	
Baudh		. 10	I	• •	• •	TOTAL	. 8	4	41	11		
Ganjam	29 1	33	4					4	-			••
Koraput		. 16	3	• •	• •	Total for w/e 16-8-58 Total for w/e 9-8-5		•••	34 78	14	••	••
Mayurbhanj .		. 6	٠.	••		total for wie 3-9-5	8 7	3	/ o	31	••	••
Dhenkanal		3	4				7	Vest Be	ngal			
Bolangir-Patna.	25 2	103	22	• •	* *			"N.R	"			
Sundergarh	25 1	3 24	4		••	Total for India	892	588	731	180		
Kalahandi	441 3 ⁶	4 47	19		.,	Excluding Andhra Pradesh, Assam,						
Toral	550 43	5 319	70		• •	Bombay, Himachal Pradesh, Kerala,						
Total for w/e 16-8-58			131		••	Madhya Pradesh, Mysore, Punjab,						
Total for w/s 9-8-58		_	105			Rajasthan, Tripura and West Bengal,						
	Pondiche		•			Corresponding Total for w/c 16-8	8- 58 6	7 9 33	3 627	236		
TOTAL	• 4	4 2	I		-	Corresponding Fotal for w/e 9-	8-58 46	io 205	771	265		
l'otal for w/e 16-8-58	· · ·	. 1	1	••	••						- •	
Total for w/e 9-8-5	8	. 4	2	-	••	ARRI	BAR I	NFOR!	MATIO	N		
	Punja	b						Bomba	У			
	"N.R	,,,					20 /	e 1 6- 8-5	8			
	Rajasti	AD.				Greater Bombay			2	٠.		
	"N. R.	••				Mehsana .				ı	• •	
	Tripu	ra				Surat •	. 12	5				• •
	"N.R					Kutch • •	• ••	••	7	2	٠.	~
	Utter Pr	adesh				Ahmednagar - •			8	4.0	• •	• •
						Dangs . East Khandesh	. 115		18	•••	• -	* •
Allahabed .	• •• •	• 3	••	••	••	Kolaba · ·	• 4	2	3			• •
Budaun •	• •• •	. 2	••	••	••	Poona • •	,	••	2		4.	-
Deoris	•	5	3		••	North Satara .			3	••		
Farrukhabad .	. 8	4 3	1	••	••	South Satara •	•	••	3		••	• •
Paizabad .	• • •	. I	••	••	• •	Sholapur .	• ••	••	8	• •	• •	••
Gonda .	• ••	r, 2	• • •	••	• • •	West Khandesh Akola	, 70		4	••	• •	••
Ghezipur .		1	3	••	•••		. 78		• •	••		••
Garhwal .	•	2				Bhandara	. 12			B 12		
Gorakhpur .		I		• •	• • •	Chanda .	• •		4			٠.
Jaunpur .		• • 1	: . .	١.		Nagpur .	. 62	=	• •	••	••	• •
Kanpur .	• ••	5		_		Wardha Aurangabad	• 2		10	••	••	••
Lucknow .		4				Aurangabad . Ahmedabad .		4 3 4	••		••	- 1
Mirzapur .		1				Saharkanta		, I I		••	••	
Pratapgarh .									-			
		2	• • •		• ••	Total	417	106	72	8		

Reported stracks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd August, 1958—concld.

			Сног	ERA	SMAL	LPOX	Pı	AGUE			¢	CHOLE	RA	SMAL	LPOX	PLA	GUE
			C.	D.	C.	D.	C.	D.				C.	D.	c.	D.	c.	D
				Delhi					South Kanara			••		8			
			w/e I	6-8-58					Coorg (Mercar	ra)			• •	6		.,	••
Delhi City	•	-			I	- •	••		TOTAL			182	71	74	14		
Delhi Notifie Committee		8			I								unjab	•	•		
South Delhi I		rinali	•• •v	••	r	 I	••	••					/e 16-8	-j 2			
Total	V3 (1177)	vi ban	y	••		1	••	••	Rohtak .				• •	••	İ	••	••
10(41	•		••	Keral	3	•	••	••	TOTAL					••	I	••	••
				e 16-8								Wes	t Ben	gal			
Vottowan			w	a 10-c		_						w/c	# 16-8 -	58			
Kottayam.	•	•	• • •	••	• •	2	••	•	Burdwan,	•	•	31	17	19	12	• •	**
Trichur	•	•	• • •	••	• •	2	••	••	Birbhum .		•	12	7	22	7	••	••
Malabar 	•	•	••	••	••	I	• •	••	Bankura .		•	10	6	••		••	••
Tor	AL	•	• •	••	• •	5	• •	••	Midnapur	•	•	14	8	4	1	••	••
			-	ysorc					Hooghly .		•	7	3	4	2	••	••
			w/e	16-8-	58				Howrah .		•	38	14	8	3	**	• •
Bangalore			• •		2	2		••	24-Parganas .			62	28	42	14	••	**
Chitradurga		-	3	2	8	4		••	Calcutta .	•	•	45	32	2	2	4.4	44
Chikmagalur		•	••		3		••	••	Nadia .		•	İ		2	İ	••	4.6
Kolar	•	•	• •	••	to	İ	••	••	Murshidabad .			13	4	4 4	• •	••	••
Mandya					İ	I			West Dinajpur					1	1	* *	••
Mysore	•	-		• •	8	3	••		Purulia			7	3	3	ţ	••	• •
Shlmoga		-	1 1 6	45	2	t		••	TOTAL			240	122	108	44		
Tumkur					7	1	••	••				R	EMARK	s			
Bellary			59	24	• •			••	Cholera.		Eni				Drew	siled	in the
Raichur	•		I		••	er e	••	••	district of K	ala	han	di of	Orissa	State.	• bten	alieu	111 (116
Belgaun			3						Smallpo)x :	<u></u> Е	piden	nic cor	dition	ıs prev	ailed	in the
Bijapur			- •	• •	17			••	district of incidence of	Bo	lan	zir-Pa	tna c	of Or	issa Si	tate.	Heavy
Dharwar					2	I		••	city of Mad	ras.	ic u	130430	was i	atoO I	opor te	a IIC	ATT CITE

Explanation of Symbols used:—C.-Cases; D.-Deaths; .. - Nil.

New Delhi-2 (India);
The 15th September, 1958

H. R. SHARMA, for Ragistrar General, India. births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958

						Deaths	from:-	-					
Towns	Mid-year Popn.Est. (000)	В,	B.R.*	c.	s.	P.	F.	D.D. R	.D.	M.D.	Total	D.R.*	I,D.
Andhra Pradesh				66	N.R."								
Assam.					''N.R.'	1							
Bihar					"N.R.	,,							
Bombay					"N.R.	11							
Delhi					"N.R.'	,							
Kerala													
Madhya Pradesi	1				"N.R.	,,							
Madras													
Ambur Arrupukottai Bodinayakunur	48 62 43	3I 54 25	33·6 45·3 30·23	::	I •••	• •	1 3	3 3 2	2		13 15 5	14·1 12·6 6·0	6 4 4
Chidamberam Coimbatore Cuddalore	43 267 76	3 ¹¹ 88	48•4 60•6 60•0		••	••	••	1 20 2	1 13 	3	11 9 9 22	19·3 19·3	4 28 4
Dindigul Brode Gobichetipalayam	100 77 48	28 41 48	14·6 27·7 22·7	::	••	••	 	ĭ 	1 3	 	16 10 1	8.3 6.8 1.1	1 2
Gudiyattam Kancheepuram Karaikudi	58 93 47	42 97 43	37·7 54·2 47·6	••	 2	••	 I 2	1 3	4 2 1	2 	12 25 8	10·8 14·0 8·9	2 7 3
Karur Kumbakonam Madres City	57 115 2,011	38 124 1798	34·7 5 6·1 46·5		 19	·· ··	1 66	7 138	1 2 156	··· ·;	6 31 756	5.5 14.0 19.5	2 4 286
Madural Mayuram Maliapalayam	488 53 43	447 47 14	47· 6 46· 1 16·9	••	.5 ::	••	 		20 I	::	145 10 1	15.2 9.8 1.2	32 2 I
Nagapattinam Ootacumund . Nagercoil	62 53 109	51 40 31	42·8 39·2 14·8	••		••	I 2	 I	6 8 2	··· ··	18 11 19	6.1 10.8 12.1	5 2 2
Palni† Palayamkottal . • Periyakulam •	48 35	74 50	80·2 74·3	• •	••	••		• - 4	1 4	I ••	15 16	16·2 23·8	2 5
Pollachi Pudukottei Rajapaleyam	60 54 74	34 47 43	29·5 45·3 30·2	•••	••	•• •• .	1 2	2	· · · · · · · · · · · · · · · · · · ·	••	7 10 7	4.8 6.1	I 2 1
Sølem Sriangam Srivilliputtur†	279 46	169 35	39·6	••	••	••	.4		12		65 11	12·4	7 2
Tanjore Tiruchirappalli Tirunalveli	13 3 276 84	86 117 65	33 °6 22 °0 40 °2	••	ī	**	4 1 	1 2 3	I I 2		28 50 22	9°4 13°6	3 4 • 6
Tiruppur Tiruyannamalai Tuticorin	73 47 121	45 43 63	32°1 47°6 27°1	••	••	••	••	2 I 2	5 2 9	2	17 12 25	12 · I 13 · 3 10 · 7	3 4 3
Vaniyambadi Vellore Villapuram	45 141 42	29 156 50	61.9 33.2			••	I I	4 8 2	7 	••	11 52 5	19 2 6·2	3 7 2
Virudhunagar	57	2.7	25.6					I	273	 18	3	2.7	
Total .	5,568	4,544	42	4	1 2	\$	107	231	270	19	1,590	14'8	456
Mysore				,									_
Bangalore Mysore Kolar Gold Fields .	1,246 347 180	930 249 188	37:3	3	• •	• • •	2 12 2	7	59 •• 3		310 75 57	13·0 12·4 16·5	7 4 ••
Bellary Davangeret	83	68	•					6	2		19	11.9	
Shimoga	68	27	20-6	•	• •	• ••	TŢ	• •	••	• •	13	9.9	• •

[•]In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used :—B. = Births; B. R. = Birth Rate; C=Cholera; S.=Smalipox; P.=Plague; F.=Fevers, D.D.=Dysentery and Distrinces; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.= Death Rate; I.D = Infantile Deaths (included in total deaths); ...=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958.—contd.

								Dei	aths from	m ı—		<u>-</u>			
	Town		Mid-year opn. Est. (000)	В.	B.R.•	C.	S.	P.	F.	D.D,	R.D.	м.D.	Total	D.R.•	(,υ,
		Мув	ore —conta	l .											
Bhadravati Hospet † Tumkur	†		51	4 <u>.</u> 5	45'9				15	I		2	18	18 3	
Kolar† Chitaldrug Hassan†			37	8	12:4			••			••		5	7.0	٠.
Bidar† Gulberga† Raichur†															
Bijapur † Belgaum Dharwar †			110	6 0	28.4	••		• •	2	I	••	••	19	9.0	τ
Bagalkot Mangalore		•	39	50	66.7	• •	1		1	I	2	I	10	13.3	••
Gudag-Bet Hubli†	egere .	•	73	69	49.1	••	••	• •	8	••	2	••	30	21.4	••
	_ Total		2,234	1,694	39.4		I		53	79	68	4	5 5 6	12.9	12
•	Orisea											•			
Berhampu Cuttack Puri	r .	•	81 1 2 0 36	35 90 97	22.5 36.3 90.1	••	 2	••	5 8 8	4 8 29	5		21 41 72	13·5 16·5 66·9	6
Тота	· ·		265	222	43.4	••	2	••	2:	-	-		·	26.	~_
	Pondi	lah-sa													
	ГОЦЦ	СЦСГІ	. 68	90	68.8		.,		İ	3	3	ı	18	13.8	10
	Punjab													-	
Ambala			62	\$ 2	43.6		٠.	• •	6	16 16	İ	3	21	17.6	11
Amritsar Batala	•	:	359 66	243 39	35°2 30°7	••	••	••	6	16 1	22 2		95 13	13·8 10 2	3 1 5
Bhiwani	•		59	69	6a⋅8	• •			6	3	• •		17	15.0	4
Ferozepur Hissar			47 4 1	33 47	36·5 59·6	••	••	••	3 10		3 2	••	11 14	17·8	2 3
Hoshiarpu Jullundur			\$4 2 30	23 143	22·1 32·3		• •		8 20	I 2		 	1 5 29	14·4 6·6	2 6
Karnal	•	:	83	42	26.3	••	••	••	7		2	••	15	914	3
Ludhiana Moga	•		194 45	159 46	42·6 53·2	••	• • •	••	14 5		12 1		60 1 1	16·1 12·7	2
Panipa	•	•	72	46	33.5	•••	;;		7	ŗ	••	•••	14	10.1	3 2
Pathankot Rewari Rohtak †	•	:	36 40	21 49	63·9 30·3	••	••	• •	I 2		 2		2 10	13.0 5.9	5 4
Simla	-	•	5 3	16	15.7	••				r		••	3	2.9	1
Sonepat† Bhatinda			4 5	35	40.6	• •		٠.	6	• •			7	8.1	4
Malerkotl Patiala		:	35 125	39 95	39·5	••	••	••	8 21	••	2	••	11 41	16.3 17.1	21
า	`OTAL	-	1,646	1,197	37.8	٠.	٠.		130	31	51	4	389	12*3	109
1	Rajasthun	,			-	925 las	23-8-5	8							
Ajmer		,	244	0.5	2013	~,•			18	~	6		40	T= - 1	
Almer Alwar† Beaway†	•	,	244	95	20.3	••	••	••	10	7	O	••	49	10.4	12
Bheratour	+														

Bharatpur† Bikaner† Churu†

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhœa; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...—Nil information.

Hathras

Jaunpur

Jhanni

Kaupur

Kasgani Khurja

Koil Aligarh

Mau Nath Bhanjan

Muzaffarnagar . Pilibhit†

Mirzapur Vindbyachal.

Lucknow†

Mathura

Meerut

Moradabad

Rampur†

Saharanpur

Sambhal† Sitapurt

Shahjahanpur

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 23rd August, 1958-contd.

Deaths from :--

									Dear	11011	,					
		Dwo		Mid-year Popn.Est (000)		B.R.*	C.	S.	Р.	- ^ <u>-</u>	D.D.	R,D.	M.D.	Total	D.R.*	LD,
		Raja	sthan-	-Contd.												
Ganganaga Jalpur† Jodhpur†	r†															
Kotah † Sikur† Tonk†																
Udalpur		•	•	121	3	2·I	• •	• •	••	3	2	3	••	22	9.4	I
Тот	AL	•	•	365	100	14.5	* *	••		21	9	9	••	7 I	10.1	:3
. Ut	tar	Prad	les b													
Agra Allahabad Amroha	•	•	:	404 372 61	350 173 73	45°0 24°2 62°2	::	• •	::	·• ·• 8	7 7 2	47 21 1	• •	67 60 31	8·6 8·4 26·4	19 19 13
Bahraich Banaras† Banda†	•	٠	•	4 9	30	31.8	••	••	••	••	1	••	••	2	2.1	I
Barailly Bastit Balliat	•	•	•	206	70	17.7	••	••		10	4	8	••	31	7.8	9
Bijnor† Budaun Bulandahal	ır †			5 5	40	37.8	4.6	. •	, .	9	3	• •		20	18.9	7
Chandausi Dehra Dur Etawah†		•	:	44 186	47 73	55 • 6 20 • 4	- •	• •	**	10 6	4 2	. 4	• •	3 2 18	37.8 5.0	19
Paizabad A Farukhaba Pirozabad	₫-Fa	hyo† tehga	ırh •	78 93	69 .40	46'0 22 ° 4	• •	••	••	9 7	3	3	••	26 15	17°3 8°4	7 6
Ghazipur Ghaziabad Gonda		:	•	35 68 35	25 40 22	28·9 30·6 32·7	•••	••	••	5 3 3	2	2 I 2	••	8 16 10	9°2 12°2 14°9	2 5 2
Gorakhpui Hapur Hardwar†		:	•	150 65	145 58	50-3 46-4	••	• •		14 13	7 3	7 I	••	50 21	17·3 16·8	14 7

3 5

76

3

4

3

1

2

I

Ι

. .

38

15 47

244

3 14

22

21

7 26

24

25

22

75

8

50

1,048

3

I

13

16

106

4·6 17·8

6.9

9.3

9*3 **6**·8

12.5

21.9

8.0

23.2

12.8

1 5

6

5

2

13 6

5

19

17

352

16

4 35

7**7**

2

Ţδ

ø

11

8

13

56

28

384

1 6

40

2

4

Ţ

3

4

10

I

٠.

. .

. .

70-4 26-4

33.1

17.8

13.7

48.5

53°3 36°0

35.8

15.4

37'7

24.0

40.9

32.8

..

65

59 132

810

34 41

167

118

39

198

100

165

81

178

112

4,262 2,686

88

30 84

424

14

44

110

40

137 69

102

24

129

TOTAL

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers: D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases: M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958—concid.

Mid-year Popn. Bat. B. B.R.* C

Towns

Deaths from

F. D.D. R.D. M.D. Total D.R. I.II

Towns				(000)	lo De	D ₀ IX ₀ *	•	۵,	*•	r, i	J,1J,	N. C.	.4441.24	Į Odgi.	D.K.	1,11
						ARRE	AR IN	NFORA	AATIO	N						
And	dhra	Pre	ıdesh				w/e	16-8-58								
Adoni Anantpur Anakapalli		•	:	72 42 51	45 2 1 30	32.5 26.0 30.6	•••		••	I		··· 2	ĭ	13 8 12	9°4 9°9 12°2	2
Bhimavaram Chirala Chittoor		•	:	41 48 50	60 46 26	76'1 50'0 27'0	:: ::	···	•• ••	2 3 4	2 I	2	···	9 13 5	11·4 14·1 5·2	
Cuddap h Ellore Gudivada	:	:	:	46 108 40	38 54 51	43°0 26.0 66°3	::	••	••	2 7	3	 2 2	1 4 •••	11 28 14	12.4 13.5 18.2	3 3 4
Guntur† Guntakal Kakinada	*	,	• •	43 123	2 0 58	24'2 24'5	••	••	::	1 1	2 3	;; ;7		12 51	14.5	3
Kurnool Masulipatnam Nandyal	•	•	•	74 95 40	91 33 20	18·1 26·1	••	••	••	2 3 •••	5 2	 2 I	 	31 30 5	21·8 16·4 6·5	 1
Nellore . Proddutur† Raiahmundry	•	•		107 137	J16 57		••	••	••	6 2	7	5 2	ı 	48 18	23°3 6·8	10
Tenali Vijayawada Visakhapatnan		:	:	76 2 53 148	43 17 2 88	29·4 35·4 30·9	·• ··	2 []	••	15 15	1 6 11	2 8 13	::	16 82 52	18.3 16.9 10.9	24
Viziangaram Hyderabad Warrangal†	:	:	•	81 1 291	45 436	28·9 17·6	••	•••	::	3 22	2 8	3 23	••	27 136	17°3	5 18
Nizamabad Kothagudiam Secunderabad	•	•	•	81 192	13 140	8·3	••	**	••	2 3	• • 6	3 9		\$ 53	3°2 14°4	16
	Тота	AL .	•	3,412	1,853	28.5	••	3	• •	109	64	100	8	70 1	10.7	
Bihe	r						w/e	16-8-58								
Arrah Bettiah Bhagalpur	:	•		74 40 133	3 8 31		••		••	2 1 4	••	••	::	5 3 16	3·5 3·9 6·3	• · ·
Bihar Chapra† Darbhanga.	•			70 98	1. 28		••	••		2 3	••	••	••	4 7	3·0	••
Dhanbad Dinapur Gaya				48 45 159	11 3 52	3.2		••		 1			••	6 3 88	6·5 3·5 28·8	••
Hazaribagh Jamalpur Jamshedpur	:		:	42 48 266	17 5 128	5.4		••		I 2	••		••	9 3 30	11,•1 3°2 5°9	3
Katihar Monghyr Muzaffatpur	•	,		60 84 92	3 3 3		 ::	••	 	2 3 6	 I 2	• • • · · · · · · · · · · · · · · · · ·	••	2 7 31	17.2 4.3	••
Pama Ranchi†				371	177	24.8	•••	••	••	4		••		29	4.1	
Ton				T		0.~		_		•		_				

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

7 ..

30

2 ..

1071 175 8.5 ..

TOTAL

[†]Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.— Smallpox; P.—Plague; R.—Fevers; D. D.—Dysentery and Clarrhoea; R. D.—Respiratory Diseases; M.D.—Maternai Deaths; D.R.—Death Rate; I. D. Infantile Deaths (included in total deaths); ...—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958—contd

D	caths	fremi	_
_			

Т	owns			Mid-yea Popn. Es (000)		B.R.*	C.	s.	Р,	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
						AR	REAR	INFO	RMAT	ON						
Во	mbay	y						w/e 2-8	8-58							
Ahmedabad Ahmednagar Amalner		:	:	970 108 54	832 66 32	44·6 31·8 30·8	••	1 	••	24 5 9	34 I 4	62 7 2	••	319 38 19	18·3 18·3	137 9 2
Barod : Barsi Bhusawal	· ·	•	:	266 48 73	218 7 60	42.6 7.5 42.7	••		••	16 2 3	6 	11 2	 	71 3 12	3°3 8°5	24 2 3
Broach Cambay Chalisg ion	· ·	•		68 4 2 38	51 42 33	39°0 52°0 45°2	 	••	···	8	 I	11 2	••	2.4 II I4	18:4 13:0 19:2	6 3 6
Dhulia Godhra Greater Bomb	ay	:	•	101 41 4117	76 33 1815	39·I 41·8 22·9	I		••	6 7 5	5 46	6 1 07	2	25 9 699	12·9 11·4 8·8	3 2 209
Jalgcon Kulyan Kolhapur	:	:	:	88 93 18 1	23 25 141	13.6 14.0 40.4			::	8 3	1 2 2	 I2	:	17 7 61	10.0 3 8 10.0	1 3 13
Malegron Miraj Nadiad	:	:	:	74 47 78	28 9 68	9·9 45 3	::	••	••	11	 I	3 2	••	26 I 26	18·3 1·1 17·3	4 ••• >
Nandurba. Nasik Navsari	:	:	:	38 151 52	42 73 42	57.5 25.1 42.0	 	••	••	2 3 11	 	, 5		15 24 17	20.2 8.3 17.0	 5
Pandharpur Pama Poona	•	:	:	47 49 717	40 54 318	44°3 57°3 23°1		••	••	3 6 1	4 3 9	4 7 17	••	16 29 113	17·7 30·8 8·2	5 2 28
Sangli Satara Sholapur	:	:	:	66 43 325	42 33 238	38.1 33.1	••	.:	••	3 2 10	 1 6	1 3 24	ĭ	13 17 87	10°2 20°6 13°9	1 4 19
Surat Thana Bhavnagar	•	:	:	270 73 171	181 3 5 79	34·9 24·9 24·0	::	 2	••	11 30	13 4	23 ·· 5	•••	143 . 8 45	27.5 5.5 13.7	43 1 12
Dhoraji Jamnagar Junagarh .	:	:	:	49 138 66	28 52 54	29·7 19·6 42·5	••	••	••	9 13	i 2	 2	 3	3 16 30	3°2 4°9 23°6	 3 8
Morvi Porbander . Gondal .	:	•	•	44 68 43	12 34 55	14·2 26·0 66·5	••	••	••	I II	I I 2	1 1	::	4 27 7	4.7 20.6 8.5	4 •-
Rajkot Veraval Surendranagar	:	•	:	217 50 52	19 10 83	10.4 10.4		••	••	13 1 4	8	3 2	••	48 6 6	6'0 6'0	17
Nagpur Achalpur Akola	•	•	•	602 39 110	191 52 81	38.3 69.3 16.2	••	••		37 6 8	19 5 5	 18	4	321 26 41	27. 7 34. 7 19. 4	94 9 15
Chanda Gondia Hinganghat	:	:	•	45 56 37	36 16 21	41.8 14.9 29.5	••	••	••	r 7 3	3 	ı 	 	12 17 9	12.9 13.9	5 6 3
Khamgaon . Wardha . Yeotmal .	:	:	•	47 51 45	35 47 35	38·7 47·9 40·4	•••		••	· 6	r 4	I I	••	14 5 2 8	15·5 5·1 32·4	.: .:
Kamptee Amravati Aurangabad	:	:	:	40 111 81	26 124 21	33-8 58-1 33-8	 7 		•••	2 5 2	5 1	1 2 3	••	10 56 15	13·0 26·2 9·6	3 10
Lathur Nanded Parbhani	:	:	:	46 98 46	19 79 6	21.5 41.9 6.8	••		••	I I	••	ј і 2	• • • • • • • • • • • • • • • • • • • •	3 4 3	3·4 2·1 3·4	•••
Jalna .		•		80	3	2.0		٠.		• •			- •			
Тот	ĄL	•			5875			٠.	• •							
*In cases	of to	Wns w	here t	here has	been an	abnorma	l move	ement o	of popu	lation	it is lik	cly that	the	pacula	tion esti-	

^{*}In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

*Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Pysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Ceaths (included in total deaths); ...—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958—contd.

									1	Deaths	from					
Tow	ns.	-		Mid- year popn. Est.	В.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D,R.*	I.D.
				(000)		21.	KEA	K LIVE	OKMA	11101						
	Bomb	ay						w/e.	26-7-58	;						
Ahmedabad Ahmednagar Amalner	:		•	970 108 54	829 60 49	44·4 28·9 46·3		1 	••	27	16 	50 3	•••	303 23 16	16·2 11·1 15·4	129 8 4
Baroda . Barsi Bhusawal	:		:	266 48 73	249 27 55	48·7 29·3 39·2	• •	••	• •	19 6 1	9 	11 1 2		66 16 11	12·9 17·3 7·8	22 7 • 1
Broach Cambay Chalisgaon	•	:		68 42 38	67 51 23	51·2 63·1 31·5	 	• •	••	4 1	2 1	10 	••	22 15 7	16·8 9·6	4 6
Dhulia . Godhra . Greater Bon	: ibay	: :	:	101 41 4117	58 61 2150	29·9 77·4 27·2	•••		•••	8 6 3	3 2 48	5 2 117	 2	30 15 715	15·4 19·0 9·0	 4 215
Jalgaon Kalyan . Kolhapur	:	:		93 181	26 37 151	15·4 20·7 43·4	2	• •	••	6 1 3	7 1 3	2 2 7	 	20 9 33	11·8 5·0 9·5	2 2 4
Malegaon† Miraj . Nadiad .	:		:	4 7 78	4 6 61	\$50·9 40·7	••	••	••	 19		2	.	27 4 2	29·9 28·0	1 14
Nandurbar Nasik . Navsari .	:	· ·		38 151 52	22 65 30	50·1 22·4 30·0	 	••	•••	r 4 4	1 	I I		13 32 8	17·8 11·0 8·0	6 1
Pandharpur Patna . Poona .	· ·	:	:-	47 49 717	26 54 319	28·8 57·1 23·1	••	••	••	4 2 	2 3 11	8 3 22	•••	23 12 117	25·4 12·7 8·5	4 1 34
Sangli . Satara . Sholapur	•	:	· .	66 43 32 5	39 44 244	30·7	••	••	• • • •	r 2 6	3 1 6	3 I 23	· · ·	16 14 92	12·6 16·9 1 4· 7	4 2 22
Surat . Thana . Bhavnagar	:		:	270 73 171	187 41 120	36·0 29·2 36·5	••	••	••	14 1 12	 4	17 		109 11 46	21.0 7.8 14.0	36 2 11
Dhoraji . Jamnagar Junagarh	•	•	:	49 138 66	30 14 38	31·8 5·3 29·9	•••	•••	••	2 14 7	 3 3	1 4 	••	10 41 30	10·6 1 5 ·4 23·6	1 1 9
Morvi . Porbander Gondal .	:	:	•	44 68 43	16 38 16	19·3 29·1 18·9	••	••	 	 5 2	·· 6 3	 I I	••	6 25 130	7·1 19·1 15·7	2 I2
Rajkot† Veraval . Surendrana	gar			50 52	9 25	9·8 25·0	••	••	••	5 4	·.	2		10	10·4 4·0	I ••
Nagpur . Achalpur . Akola .	•	:	•	602 39 110	551 51 139	47.6 68.0 65.7	•••	•••	••	40 4 6	8 2 	11 3	 	196 11 31	, 16·9 , 14·7 14·7	46 4 8
Chanda . Gondia . Hinganghat	•	•	:	45 56 37	39 37 22	45 · I 34 · 4 30 · 9	•••	•••	••	2 7 4	 	4 2	••	15 15 10	17·3 13·9 14·1	4 6 4
Khamgaon Wardha Yeotmal	· ·	: :	:	47 51 45	31 15 51	34·3 15·3 58·8	 	••	 	5 4 8	 1 4	 4 2	••	. 8 15 18	8·9 15·3 20·8	2
Kamptee Amravati . Aurangabad	. :	:	•	40 111 81	22 123 9	28·6 57·6 5·8	 9 	 I	•••	9	 3 1	 3 2	· · · · · · · · · · · · · · · · · · ·	5 56 6	6·5 26·2 3·9	9
Lathur . Nanded . Parbhani	· ·	•	•	46 98 46	15 24 3	17·0 12·7 3·4	•••	• •	••			 1	· · ·	 7 1	3.7 1.1	 3
Jalna .	· Total			80	6,513	30.2	22	6	••	1 291		1 3 4 8	10	2,402	3·3 12·0	658

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Figures not available.

Explanation of symbols used;—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...— Nil. Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958—contd.

Deaths from

Town				Midyear. popnEst. (000)	В.	B.R.*	c.	S.	P.	F.	DD.	R.D.	M.D.	Total	DR."	I.D.
		Bomb	вy					w/s.	9-8-58.							
Ahmedabad Ahmednagar Amalner	:	:	:	970 108 54	895 65 40	48.0 31.3 38.5	 3			32 1 11	41 I 	80 5 3	• •	427 21 23	22·1 22·1	175 9 7
Baroda . Barsi . Bhusawal	:	:	:	26 6 48 73	217 29 36	42·4 31·4 25·6	 	•••	••	25 3 4	3 2	14 2	 I	76 17 9	14·9 18·4 6·4	2I I I
Broach Cambay Chalisgaon	•		:	68 42 38	47 36 34	35·9 44·6 46·5		 	• •	9 1 3	 2 	10 2	 	29 15 7	9.6 18.6 55.5	8 7 2
Dhulia . Godhra Greater Bomb	ay	:	•	101 41 4,117	81 55 1,670	41·7 69·8 21·1		 6	••	8 7 10	2 52	.1 t 107		25 16 748	12·9 20·3 9·4	3 2 219
Jalgaon . Kalyan Kolhapur	:	:	:	88 93 181	136 38 112	80·4 21·2 32·2	. . 	••	•••	6 3 	• • • • • • • • • • • • • • • • • • • •	5 2 6	I I	27 9 28	5.0 8.0	3 1 5
Malegaon Miraj Nadiad	:	:		74 47 78	62 43 74	43·6 47·6 49 ·3		• •	••	15 1 15	3 :	 	• •	34 19 31	23·9 21·0 20·7	10 4 17
Nandurbar Nasik Narsari		:	•	38 151 52	20 111 49	27·4 38·2 49·0		• • • • • • • • • • • • • • • • • • • •	••	2 7 10	• •	3 3	i. J	14 38 17	19·2 13·1 17·0	3 5
Pandharpur Patna Poona	:	:		47 49 717	44 53 36 5	48·7 56·2 26·5		••		 5 6	7 2 8	4 4 26	 2	21 16 123	23·2 1~·0 8·9	12 1 41
Sangli . Satara . Sholapur	•	:		66 43 325	39 39 294	30·7 47·2 47·0		•••	• •	3 2 13	ı 3	2 19		19 11 89	15.0 13.3 14.2	7 7 24
Surat Thana Bhavnagar		•	•	270 73 171	183 36 90	35·2 25·6· 27·4	••	••	••	19 2 10	7 1 14	29 4	 	127 15 48	24·4 10·7 14·6	37 4 20
Dhoraji Jamnagar Junagarh	:	: :	•	49 138 66	36 27 67	38·2 10·2 52·8		••	•••	4 6 5	 т 4	2 1 	 5	10 20 30	10·6 7·5 23·6	1 5 9
Morvi Porbander Gondal	:	:	•	44 68 43	9 45 24	10·6 34·4 29·0				3 6 2	5 4	I I 	j. 	6 2 0 8	7·1 15·3 9·7	;;
Rajkot - Veraval : Surendranagar		:	:	217 50 52	168 5 25	40·3 5·2 25·0	•••			25 2	6 3		 	62 4 7	14·9 4·2 7·0	22 I
Nagpur Achalpur Akola	:	:	:	602 39 110	94 34 104	8·1 45°3 49·2	4	••		25 3 8	10 4 8	18 3	 ••	206 16 41	17·8 21·3 19·4	65 2 7
Chanda Gondia Hinganghat	:	: :	:	45 56 37	50 63 31	57·8 58·5 43·6	••			4 7 2	 2	1 1	1	22 11 9	25·4 10·2 12·6	7 4 4
Khamgaon† Wardha Yeotmal		:	•	51 45	34 52	34°7 60°1		••	••	4 9	1 3	ï	ı,	7 25	7°1	
Kamptee Amravati †	•	•		40	45	58.5		••	••	5		I		16	20.8	6
Aurangabad	•	-	•	81	18	11.6	• •	• •	• •	• •	• •	• •	• •	4	2.6	• •
Lathur Nanded Parbhani		:	:	4 6 98 46	17 19	19·2 10·1	• •	::	::	1 2		 2	• •	5 9 2	5·7 4·7 2·3	* 1
Jalna	•	•		80 80	 60	39.0	••	••	•••	••	••	4	••	8	5.2	
J	•	-	•	00		37 0	••	••	••	• •	••	7	••	J	~ ر	• •

^{*}In cases of towns where there has been an abnormal movement of population, it is likley that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil; Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958—contd.

									D	earhs f	rom					
Tow	ns		F	Mid-year. oopn, Est (000)	В.	B.R.*	. C.	s.	Р.	F.	DD.	R.D.	M.D.	Total	D.R.*	I.D.
	В	ombay-	—cc	,												
								₹v./e. I	6-8-58							
Ahmedabad Ahmednagar Amalner				970 108 54	481 57 36	25·8 27·4 34·7	• •			17 8	15 5 2	44 6	 I	200 38 16	10 7 18·3 15·4	96 9
Baroda . Barsi . Bhusawal.		· ·	:	266 48 73	216 38 30	42°2 41°2 21°4		••	* *	24 6 5	 	18	 	10 16 108	21 · 1 17 · 3 7 · 1	32 2 3
Broach . Cambay †	•	•		68	75	57.4	••		, ,	11	•••	10		33 8	25.2	6
Chalisgaon	•	•	٠	38	31	42.4	• •	• •	••	7	1		T	21	10.8	1 4
Dhulia . Godhra . Greater Bomb	ay	•	:	101 41 4117	30 37 16 2 6	15·4 46·9 20·5		••	···	7 7 8	4 43	 106	 4	14 643	17.8	4 203
Jalgaon Kalyan . Kolhapur	•	:	:	88 93 181 ·	63 32 197	37·2 17·9 56·6	3 	••	••	4 2 I	3 1	2 t 3	•••	21 8 37	12·4 4·5 10·6	. 5 7
Malegaon Miraj †	•	•	•	74	43	30.5	• •	••	••	14	••	ı	••	19	13.4	7
Nadiad .	•	•	•	78	39	26.0	• •	••	••	14	I	I	1	30	20.0	4
Nandurbar Nasik . Narsari .	:	:	:	38 151 52	19 98 43	26.0 33.7 43.0	 		•••	2 4 8	2 2 	і 6 	 I	15 35 16	20.5 12.1 16.0	
Pandharpur Patna . Poona .		•	:	47 49 717	41 63 377	45.4 66.9 27.3	••	 I		4 4 1	5 8 6	6 8 27	I I	25 27 111	27·7 28·7 8·1	7 2 26
Sangli . Satara . Sholapur	:	:		66 43 325	21 27 2 39	16·5 32·7 38·2			••	 3 9	 3 12	I 2 9		13 20 89	10·2 24·2 14·2	2 6 11
Surat . Thana . Bhavnagar			:	270 73 171	207 44 80	39·9 31·3 24·3			••	2I 2 II	15 1 9	17 		128 11 16	24·6 7·8 18·2	46 2 17
Dhoraji Jamnagar Junagarh	:			49 138 66	27 14 57	28·7 5·3 44·9	,. 	••	•••	3 4 11			2	5 16 33	5·3 6·0 26·0	 2 II
Morvi - Porbander Gondal -				44 68 43	15 13 21	17·7 9·9 25·4			•••	1 7 4	7	1 6 2	1	5 26 9	5·9 19·9	
Rajkot Veraval Surendranagan				217 50 52	100 4 38	24.0 4.2 38.0		•••		17 7 4	6 I	4 2	 I	47 13	11·3 13·5	18 3
Nagpur . Achalpur Akola	:		:	602 39 110	469 33 139	40·5 44·0 65·7	3 		•••	29 4 15	16 3 12	8 1	. 4 	248 18 56	21·4 26·0 26·5	79 1 12
Chanda Gondia Hinganghat	:		:	45 56 37	53 40 39	61·2 37·1 54·8			••	 6 2	 4	ĭ	 3	16 14 15	18·5 13·0 21·1	8 4 7
Khamgaon Wardha Yeotmal	:	:	:	47 51 45	23 52 39	25·4 53·0 45·I		•••	••	5	 3 3	 1 2	 I	6 17 20	6·6 17·3 23·1	1 7
Kamptee Amravati Aurangabad	:	•	•	40 111 81	21 150 8	27·3 70·3 5·1		••	•••	• •	2 3 2	2 2	 4 2	7 20 7	9·4 4·6	I
Lathur · Nanded · Parbhani			:	46 98 46	24 44 1	27·I 23·3 I·I	• •	• • • • • • • • • • • • • • • • • • • •	•••		- ·	2 1 1	 	2 9 5	2 · 3 4 · 8 5 · 7	1
Jalna .				80	9	5.9				I		••	••	2	1.3	• •
		TOTAL		10,661	5,723	27.9	7	I		329	215	323	30	2,399	11.7	677

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symble used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Eirths and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958—contd.

			Deaths from										
Town	Mid-Year Popn. Est.(000)	В.	B.R.*	С.	S.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Delhi				w	/e I4-(5-1958						-	
Delhi City .	. 1,216	547	23.4				81	3	20		183	7.8	38
New Delhi .	. 417	149	18.6	••				••	3	••	66	8.2	15
N.A.C.Civil Station,	•								J				-5
Delhi · ·	. 130	103	41.5	••	8	••	12	••	2	••	35	14.0	11
Delhi Cant .	• 54	25	24.1	• •	••	• •	I	• •	• •	• •	I	1.0	••
Delhi Shahdara	. 5 8	44	39.4	••	• •	,••	1	2	4	• •	5	4 * 5	5
TOTAL -	. 1,875	868	24.1	• •	8		95	5	29	• •	290	8.0	6 9
					•								
Delhi				<i>w</i> /	e 21-6-	1958							,
Delhi City .	. 1,216	539	23.0	••	• •	•••	146	6	- 24	••	281	12.0	73
21011 22 0	. 417	142	17.7	• •	••	• •	2	• •	5	• •	60	7.5	9
N.A.C. Civil Station	1, . 130	77	30.8		11	••	8		I		41	16.4	0
Delhi Delhi Cantt .	. 54	20	19.3			••					2	2.0	9
Delhi Shahdara	· 58	4 7	42·I	••	••	•••	8	• • •	2	• (14	12.6	3
Denn Quanassa	•	•,									•	4	J
TOTAL	1,875	825	22.9	• •	11	••	- 164	6	33	• •	398	11.0	94
Delhi				α	n/e 28-	6-1958		•					
							• 6		-6		~~~	O	
Delhi City · ·	1,216	340	14.5	• •	••	• •	98	3	16	••	193	8.3	37
New Delhi		130	16.2	••	••	* *	5	10	21	• •	90	11°2	31
N.A.C. Civil Station	. 130	87	34.8		4		7	••	2		23	9.2	7
		3	2.9	• •			• •	٠.	••		I	1.0	• •
Delhi Shahdara	. 58	69	61.9	• •	• •	••	14	I	I	•:	23	20.6	5
TOTAL	. 1875	629	17.4		4		124	14	40	••	330	9•2	80
TOTAL	. 16/3	~49	*/ **		7	••			•	••	550	<i>y</i> -	
Delhi				EU	/e 5-7-	1958							
Delhi City	1,216	706	30.5	• •		••	161	7	4I	• •	356	15.3	91
New Delhi	417	137	17.1	• •	• •	• •	8	1	• •		75	9.4	22
N.A.C. Civil Station,		W.4	2216		7		17		2		39	15.6	
Delhi	. 130	84	33.6	••	••	••	••	•••	••	••	39	••	••
Delhi Gantt . Delhi Shahdara	• 54 • 58	 44	39.4	••	••	••	7	•••	2	•	14	12.6	••
Deini Snangara	.)0	77	3 7 4				,		-				••
TOTAL	1875	971	26.9	••	7	••	193	૪	45	••	484	12.4	113
Delhi													
D. 11.1 O'4	T 276	710	. 20.4				63	6	19	• .	150	6.4	41
25 0222 04.)	. 1,216 . 417	712 180	30·4 22·5	••	••	••	03 I	4		••	65	8·1	41 26
New Delhi N.A.C. Civil Station,		100	24)	••		••	•	7	••	••	<i>)</i>	J 1	. 27
Delhi Station	. 130	102	40.8		`4 ·		ı	1	1		19	7.6	٠,
Delhi Cantt .	. 54		• •	••	••		• •	••	• •		••	••	• •
Delhi Shahdara.	. 58	63	56.1	***	. •	••	3	••	• •	••	10	8.9	• •
TOTAL	. 1,875	1057	29.3		4	. •	68 .	11	20		244	6.7	67

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.— Pever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); :—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd August, 1958—contd.

	Δ	Ald-Yes	a r	Deaths from :										
Town	P	opn. És (000)		B.R.*	C.	s.	P.	F.	D .D.	R.D.	M.D.	Total	D.R.*	I,D,
Delhi					w /e	26=7-I	9 <u>5</u> 8							
		1,216 417 130	769 110 134	32.5 13.7 53.6	· ·	•• •	••	32 2 3	5 1 1	22	••	123 68 22	5·3 8·5 8·8	36 3 7
Delhi Cantt Delhi Shahdara	· :	54 58	67	60:1	••	••	••	• • • • • • • • • • • • • • • • • • • •	••	**	••	·. 6	5.4	••
TOTAL	•	1,875	τ,080	30.0		4	-	42	7	22	***	219	6 • I	73
					,	. 0	-0							
Delhi					₹ <i>0 €</i>	2=8=1	958							
Delhi City New Delhi N.A.C. Civil Station,	Delhi	1,216 417 130	651 120 133	27.7 15.1 53.2	•••	3	•••	59 4 1	9 ••	30 4 ••	••	68 13	7·3 8·5 5·2	61 7
Delhi Cantt Delhi Shahdara	: :	54 58	18 52	17·3 46·6	::	••	::	5	• •	• •	• •	2 9	8.6 1.9	::
TOTAL .	•	1,875	974	27.0	••	3	••	69	10	34		262	7 *3	68
Delhi					tv/	e 9=8=1	958							
3.1	Delhi	1,216 417 130	739 125 102	31·6 15·6 47·7	••	 3		69 •• 3	10 6	29 ••	2 	194 75 18	8•3 9•4 7•2	61 20
Delhi Cantt Delhi Shahdara	•	54 58	25 65	24·1 58·3		::	••	•₄• I	\$48 * *	••	::	4	3.6	
TOTAL	•	1,875	1,066	29*3	••	3	-	73	16	2 9	2	2 91	8. 1	81
Madhya Prad	lesh				70	e 19-7.	1958		,	*				
Bilaspur† Burhanpur Damoh	:	85 47	7 8 13	47.7 14.4		::	••	10 2		2 1	••	2I I2	12°8 13°3	••
Jabalpur† Khandwa Raipur †		64	25	20*3				7	••	I	••	10	8-1	••
Murwara† Sagar† Chindwara†														
Raigarh† Itarsi Greater Gwalior	:	37 2 97	2 0 95	28·1	::	••	•	1 2	···	2		.7 16	9.8 2.8	1
Indore† Ratlam Ujjain†	•	82	29	18.4	••	••	••	9	••	16	3	25	15-9	
Bhopal city† Mandsaur		4 8	24	26.0		••				2		2	2.2	••
TOTAL .	•	660	284	22.4	••	• •	***	31	2	24	3	93	7•3	I

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternel Deaths; D.R.—Death Rate; I.D.—Infantile Doaths (included in total deaths)..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India tor the week ending the 23rd August, 1958-contd.

						Deat hs	from :-	-				
Town	Mid-year Popn. Est. B. (000)	. B.R.•	c	s.	Р.	F.	D,D.	R.D.	M.D.	Total	D.R.•	I,D,
Delhi			₹0/ e I2	-7-195	3							
Delhi city New Delhi N.A.C. Civil Station, Delhi	1,216 620 417 125 130 102	26·5 15.6 40·8		8		57 I 2	3 1	14 6 1	· •	118 107 27	10.8 13.3 2.0	25 19
Delhi Cantt Delhi Shahdara	54 58 54	48.4	••	••		·· 5	1	2	::	15	13.4	••
TOTAL	1 ₃ 875 901	25.0		8	••	65	5	23	4.	177	4.9	44
Madhya Pradesh			w/e 20	5-7-195	8							
Bilaspur												
Burhanpur Damoh	85 114 47 30	69·7		• •	••			••	••	19 5	71.6 7.5	••
Jabalpur† Khandwa Raipur†	64 24	19.5		••	••	9	••	••	••	14	11.4	
Murwara† Sagar† Chhindwara	33 4 7	24.0			••	6			'I	17	26.8	7
Raigarh† Itarsi	3 7 22 297 161	30·9 28·2	••	••	••	3	••	2		7 9	9.8	••
Indore Ratlam Ujjain†	423 285 82 29	18·3 35·0	::		::	18 7	2 I	26 19	 	76 27	9·3	25 6
Bhopal city† Mandsaur	48 14	15.1			••	2	••	2	••	4	4-3	••
Total .	1, 116 726	33.8	••	••	••	53	6	5 1	2	178	8.3	38
Madhya Pradesh			74	/e 2-8-	58							
Bilaspur	54 30	28.9				2	I	2		13	12.5	5
Burhanpur Damoh	54 30 85 84 47 34	51·4 37·6	••	••	••	14 2	4	r •••	••	31 7	19·0 7•7	••
Jabalpur† Khandwa Raipur†	64 27	21.9			••	8	3	2	••	19	15.4	919
Murwara† Sagar† Chindwara†												
Raigarh† Itarsi Greater Gwalior	37 23 297 109	32.3		••	::	4 2	3		::	17 17	3.0 3.0	2
Indore	4 2 3 323	39•7				9	6	25	2	77	9.5	19
Ratlem† Ujjain	183 71	20.2	•			••	16	1	••	43	12-2	9
Bhopal City† Mandsaur	48 8	8•7	••	••	••		••		••	• •	••	
Total	1 ₃ 366 709	27.0	• •		••	57	18	33	2 2	124	8.5	36

^{*}In cases of towns where there has been an abtrormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

⁺Figures not available

Explanation of symbols used:—B.—Births: B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plagte; F.—Fovera; D.D.—Dysentery and Diamhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; L. D.—Infantile Deaths (included in total deaths); ...—Nil information, "N. R."=Information not received.

REMARKS

The figures of births and deaths shown in this statement for week-ending 23rd August, 1958 relate to 103 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 14,409 thousands out of the total population of 46,461 thousands in 320 towns of the country. The number of births and deaths recorded in these towns were

10,533 and 3,806 registering birth and death rates of 38.0 and 13.7 per thousand of population respectively.

The town of Chandausi and Puri in the State of Uttar Pradesh and Orissa have recorded high death rates of 37.8 and 66.9 per thousand of population respectively. The following table gives the registered rates for the different States:—

States	Current	w/e 23-8-58	Corresponding	w/e lest veur	
	8.R.	D.R.	B.R .	D.R.	
Madras	42.4	14.8	†	†	
Mysore	39.4	12.9	28-6	15.5	
Orissa	43.4	26.3	44.8	40.6	
Pondicherry	68.8	13.8	66.3	19.6	
Punjab	37.8	12.3	*43 · 8	11.2	
Rajast <u>h</u> an	14.2	10.1	†	†	
Uttar Pradesh	32.8	12.8	33.4	15.7	
India	38 o	13.7	32.4	15.5	

Figures are not available.

New Delhi-2 (India) . The 15th August, 1958.

H. R SHARMA,

for Registrar General, India,

